The Bryologist 101(4), pp. 636–644
Copyright © 1998 by the American Bryological and Lichenological Society, Inc.

Index to Volume 101 of The Bryologist

DAVID M. LANE
Biological Sciences Library, Kendall Hall, University of New Hampshire, 129 Main St., Durham, NH 03824–3590

EMILY L. POWOROZNEK
Engineering, Mathematics, and Computer Science Library, Kingsbury Hall, University of New Hampshire, 33 College Rd., Durham, NH 03824-3591

This index includes all authors and all scientific names of plants under study. Taxa listed in checklists are not included to avoid complete duplication of the checklists in the index. The format of previous indexes is retained for continuity: new scientific names and combinations are in boldface, page numbers of synonyms are in italics, taxa mentioned several times in an article are indicated by a plus sign (+) after the page number, and illustrations are indicated by an asterisk (*). In addition, maps are indicated by a small "m." Checklists and keys are grouped under the entries "Checklist" and "Key." Lichen substances and selected keywords in the titles and text of articles are also included.

There are several possibilities for enhancing future indexes. We are planning to provide online access to this annual index and the previous two years combined into one searchable and sortable database at: http://grinnell.unh.edu:591/ We welcome all comments and suggestions. Please send them to david.lane@unh.edu

2″-O-methylgyrophoric acid (Diploschistes), 399+
2′-O-demethylpsoromic acid (Usnea), 40+
2′-*O*-methylperlatolic acid (Lecanora pseudistera), 260
4,5-dichloronorlichexanthone (Lecanora flavopallida), 106
4-*O*-demethylbarbatic acid (Usnea), 40+

Abscisic acid (cryopreservation), 32+, 278+
Acanthohyphidia, 445+*
Acantholichen pannarioides gen. et spec. nov., 444+*
Acid rain, 512+
Acrobeles (nematode), 507+
Air quality (forest floor bryophytes), 126
Aliphatic acids (Arthoniales), 382+
ALLEN, BRUCE & RONALD A. PURSELL. Recent Literature on Mosses—175, 156+
ALLEN, BRUCE & RONALD A. PURSELL. Recent Literature on Mosses—176, 343+
ALLEN, BRUCE & RONALD A. PURSELL. Recent Literature on Mosses—177, 471+
ALLEN, BRUCE & RONALD A. PURSELL. Recent Literature on Mosses—178, 608+
ALLEN, BRUCE. *See* SHAW, A. JONATHAN, 600+
Allopolyploid (Plagiomnium), 263+
Alophosia azorica, 491+
ALSTRUP, VAGIN & MARIETTE S. COLE. Lichenicolous Fungi of British Columbia, 221+
Amazonomyces, 383+
Amber (Calymperes palisotii subsp. palisotii), 131+
Amphiloma granulosum, *253*; heppianum, *252*; ochraceofulvum, *253*
Amphipods, 508+
Anacolia menziesii, 588+*; webbii, 588+
Anaptychia ciliaris, 423+
Anastrophyllum subgenus Aschizophyllum, *428*
Ancistroporella, 383+
ANDERSON, LEWIS E. *See* MCFARLAND, KENNETH D., 481+
Andreaea rupestris, 491+
Antarctica (Bryum argenteum), 412+
Antitrichia curtipendula, 119, 368+
Antitrichia curtipendula (cyanolichen association), 22+
Antoiria vulgaris, *17*; var. minor, *17*
Aphelenchus (nematode), 507+
APTROOT, ANDRÉ. *See* SÉRUSIAUX, EMMANUËL, 144+*
Arizona, United States (lichen flora), 93+
Armenia (Coscinodon calyptratus), 91m
Arthonia, 383+; **lethariicola sp. nov.,** 222+*; radiata, 71+
Arthoniaceae, 383+
Arthoniales, 377+, 404+
Arthoniales (phylogeny), 70+
Arthonin (Arthoniales), 385
Arthophacopsis, 383+
Arthothelin (Lecanora flavopallida), 106
Arthothelium, 383+
Ascomatal structures (Arthoniales), 384*
Ascus shapes (Arthoniales), 385*
Asemone (Lecanora flavopallida), 106
Aspicilia, 256
Asterochloris, 394+
Astomiopsis julacea comb. nov., 87; sinensis, *86*+
Athyrium felix-femina, 512+
Atranorin (Hypogymnia hengduanensis), 556+
Atranorin (Hypotrachyna riparia), 448
Atranorin (Lecanora flavopallida), 106
Atranorin (Lecanora subfusca), 261
Atranorin (Sulcaria badia), 112
Atranorin (Usnea), 40+
Atrichum angustatum, 491+; selwynii, 119; undulatum, 491+
Aulacomnium androgynum, 119, 368+
Australia (Bryum argenteum), 412+
Australia (Grimmia macro-perichaetialis), 100+
Australia (Lecanora flavopallida), 106
Australia (Reboulia), 61+

Bactrospora, 383+
Baeomycesic acid (Usnea), 40+
Baermann funnels, 506+
BAI, XUE-LIANG & ZUN-TIAN ZHAO. Flora Bryophytarum Intramongolicarum [review], 477+
Barbatic acid (Hypogymnia hengduanensis), 556+
Barbatic acid (Usnea), 40+, 313
BARSIG, MICHAEL, KATHRIN SCHNEIDER, & CAROLA GEHRKE. Effects of UV-B Radiation on Fine Structure, Carbohydrates, and Pigments in Polytrichum commune, 357+
Bartramia menziesii, *588*+
Bartramiaceae (Anacolia menziesii), 588+
Bartramiopsis, 491+
Basidiolichen, 444+
BAYLEY, SUZANNE E. *See* GIGNAC, L. DENNIS, 560+
BAYLEY, SUZANNE E. *See* GIGNAC, L. DENNIS, 572+
Bazzania ambigua, 120, 368+
BECK, ANDREAS. *See* RAMBOLD, GERHARD, 392+
Bellincinia platyphylla, *18*; platyphylloidea, *18*
Beta-orcinols (Arthoniales), 382+
BI, WANG-FU. *See* WEI, JIANG CHUN, 556+

0007-2745/98/636–644$1.05/0

The Bryologist 101(4), pp. 636–644
Copyright © 1998 by the American Bryological and Lichenological Society, Inc.

Index to Volume 101 of The Bryologist

DAVID M. LANE
Biological Sciences Library, Kendall Hall, University of New Hampshire, 129 Main St., Durham, NH 03824–3590

EMILY L. POWOROZNEK
Engineering, Mathematics, and Computer Science Library, Kingsbury Hall, University of New Hampshire, 33 College Rd., Durham, NH 03824-3591

This index includes all authors and all scientific names of plants under study. Taxa listed in checklists are not included to avoid complete duplication of the checklists in the index. The format of previous indexes is retained for continuity: new scientific names and combinations are in boldface, page numbers of synonyms are in italics, taxa mentioned several times in an article are indicated by a plus sign (+) after the page number, and illustrations are indicated by an asterisk (*). In addition, maps are indicated by a small "m." Checklists and keys are grouped under the entries "Checklist" and "Key." Lichen substances and selected keywords in the titles and text of articles are also included.

There are several possibilities for enhancing future indexes. We are planning to provide online access to this annual index and the previous two years combined into one searchable and sortable database at: http://grinnell.unh.edu:591/ We welcome all comments and suggestions. Please send them to david.lane@unh.edu

2″-O-methylgyrophoric acid (Diploschistes), 399+
2′-O-demethylpsoromic acid (Usnea), 40+
2′-*O*-methylperlatolic acid (Lecanora pseudistera), 260
4,5-dichloronorlichexanthone (Lecanora flavopallida), 106
4-*O*-demethylbarbatic acid (Usnea), 40+

Abscisic acid (cryopreservation), 32+, 278+
Acanthohyphidia, 445+*
Acantholichen pannarioides gen. et spec. nov., 444+*
Acid rain, 512+
Acrobeles (nematode), 507+
Air quality (forest floor bryophytes), 126
Aliphatic acids (Arthoniales), 382+
ALLEN, BRUCE & RONALD A. PURSELL. Recent Literature on Mosses—175, 156+
ALLEN, BRUCE & RONALD A. PURSELL. Recent Literature on Mosses—176, 343+
ALLEN, BRUCE & RONALD A. PURSELL. Recent Literature on Mosses—177, 471+
ALLEN, BRUCE & RONALD A. PURSELL. Recent Literature on Mosses—178, 608+
ALLEN, BRUCE. *See* SHAW, A. JONATHAN, 600+
Allopolyploid (Plagiomnium), 263+
Alophosia azorica, 491+
ALSTRUP, VAGIN & MARIETTE S. COLE. Lichenicolous Fungi of British Columbia, 221+
Amazonomyces, 383+
Amber (Calymperes palisotii subsp. palisotii), 131+
Amphiloma granulosum, *253*; heppianum, *252*; ochraceofulvum, *253*
Amphipods, 508+
Anacolia menziesii, 588+*; webbii, 588+
Anaptychia ciliaris, 423+
Anastrophyllum subgenus Aschizophyllum, *428*
Ancistroporella, 383+
ANDERSON, LEWIS E. *See* MCFARLAND, KENNETH D., 481+
Andreaea rupestris, 491+
Antarctica (Bryum argenteum), 412+
Antitrichia curtipendula, 119, 368+
Antitrichia curtipendula (cyanolichen association), 22+
Antoiria vulgaris, *17*; var. minor, *17*
Aphelenchus (nematode), 507+
APTROOT, ANDRÉ. *See* SÉRUSIAUX, EMMANUËL, 144+*
Arizona, United States (lichen flora), 93+
Armenia (Coscinodon calyptratus), 91m
Arthonia, 383+; **lethariicola sp. nov.,** 222+*; radiata, 71+
Arthoniaceae, 383+
Arthoniales, 377+, 404+
Arthoniales (phylogeny), 70+
Arthonin (Arthoniales), 385
Arthophacopsis, 383+
Arthothelin (Lecanora flavopallida), 106
Arthothelium, 383+
Ascomatal structures (Arthoniales), 384*
Ascus shapes (Arthoniales), 385*
Asemone (Lecanora flavopallida), 106
Aspicilia, 256
Asterochloris, 394+
Astomiopsis julacea comb. nov., 87; sinensis, *86*+
Athyrium felix-femina, 512+
Atranorin (Hypogymnia hengduanensis), 556+
Atranorin (Hypotrachyna riparia), 448
Atranorin (Lecanora flavopallida), 106
Atranorin (Lecanora subfusca), 261
Atranorin (Sulcaria badia), 112
Atranorin (Usnea), 40+
Atrichum angustatum, 491+; selwynii, 119; undulatum, 491+
Aulacomnium androgynum, 119, 368+
Australia (Bryum argenteum), 412+
Australia (Grimmia macro-perichaetialis), 100+
Australia (Lecanora flavopallida), 106
Australia (Reboulia), 61+

Bactrospora, 383+
Baeomycesic acid (Usnea), 40+
Baermann funnels, 506+
BAI, XUE-LIANG & ZUN-TIAN ZHAO. Flora Bryophytarum Intramongolicarum [review], 477+
Barbatic acid (Hypogymnia hengduanensis), 556+
Barbatic acid (Usnea), 40+, 313
BARSIG, MICHAEL, KATHRIN SCHNEIDER, & CAROLA GEHRKE. Effects of UV-B Radiation on Fine Structure, Carbohydrates, and Pigments in Polytrichum commune, 357+
Bartramia menziesii, *588*+
Bartramiaceae (Anacolia menziesii), 588+
Bartramiopsis, 491+
Basidiolichen, 444+
BAYLEY, SUZANNE E. *See* GIGNAC, L. DENNIS, 560+
BAYLEY, SUZANNE E. *See* GIGNAC, L. DENNIS, 572+
Bazzania ambigua, 120, 368+
BECK, ANDREAS. *See* RAMBOLD, GERHARD, 392+
Bellincinia platyphylla, *18*; platyphylloidea, *18*
Beta-orcinols (Arthoniales), 382+
BI, WANG-FU. *See* WEI, JIANG CHUN, 556+

0007-2745/98/636–644$1.05/0

Bioclimatic modeling, 572+
Bioclimatic modeling (bryophytes), 560+
Biomonitoring, 451+
Bis-lacton lepranthin (Arthoniales), 385
BISCHLER, HELENE. *See* BOISSELIER-DUBAYLE, MARIE-CATHERINE, 61+
Blepharostoma trichophyllum, 120, 368+
Bogs, 560, 576+m
BOISSELIER-DUBAYLE, MARIE-CATHERINE, JOSIE LAMBOURDIERE & HELENE BISCHLER. Taxa Delimitation in Reboulia Investigated with Morphological, Cytological, and Isozyme Markers, 61+
BOLES, SANDRA BLAKE. *See* PATTERSON, EVIAN, 272+
BOSLEY, AUGUSTUS, RAYMOND PETERSEN, & JOANNE REBBECK. The Resistance of the Moss Polytrichum commune to Acute Exposure of Simulated Acid Rain or Ozone Compared to Two Fern Species: Spore Germination, 512+
Bourgeanic acid (Usnea), 40+
Brachymenium gemmiferum sp. nov., 601+*
Brachythecium frigidum, 119; mildeanum, 560+
BREUSS, OTHMAR. *See* NASH III, THOMAS H., 93+
British Columbia, Canada (Lichenicolous fungi), 221+
British Columbia, Canada (Usnea), 36+*m
BRODO, IRWIN M. *See* HALONEN, PEKKA, 36+*m
BRUGUÉS, MONTSERRAT. The Identity of Entosthodon durieui and E. pallescens, 133+*
Bryaceae (Mielichhoferia, Brachymenium), 600+*
Bryophyte ecology, 116+
Bryophytes (Bioclimatic modeling), 560+, 572+
Bryoscyphus lichenicola sp. nov., 222+*
Bryum argenteum, 412+; capillare, 119
BUCK, WILLIAM R. & BARBARA M. THIERS. Recent Literature on Hepatics and Anthocerotes—152, 347+
BUCK, WILLIAM R. & BARBARA M. THIERS. Recent Literature on Hepatics and Anthocerotes—154, 614+
BUCK, WILLIAM R. *See* THIERS, BARBARA M., 163+
BUCK, WILLIAM R. *See* THIERS, BARBARA M., 455+
BUCK, WILLIAM R. *See* SHAW, A. JONATHAN, 600+
Buxbaumia aphylla, 491+; pineri, 119

Cadmium (Evernia), 451+
Caesium-137 (lichens), 422+
Caliciales (Chaenotheca olivaceorufa), 558+
California (Orthotrichum shevockii), 435+
Callopisma subnitidum, *253*
Caloplaca (Lobate and subfruticose species), 230+
Caloplaca appressa sp. nov., 233+*m; aractina, 230; augustinia, *240*; aurantia, 230+; brattiae, 235+*m; brouardii, 235+*m; brouardii var. flavida, 251; callopisma, *230*+; carphinea, 231; cascadensis, 252; cinnabarina, 231; cinnabarina-group, 231; cirrochroa, 236+*m; citrina, 230+; cladodes, 231+*m; coralloides, 231+*m; cupulifera, 237+*m; decipiens, 239+*m; eugyra, 240+*m; flavescens, 252; flavogranulosa, 231; galactophylla, 240+*m; granulosa, 253; hedinii, *249*; heppiana, *252*; ignea, 230+*m; impolita, 230; irrubescens, 231; lobulata group, 253; marina, 230+; mexicana, 252; microphyllina, 231; microthallina, 230+; modesta, 231; muelleri, 231; murorum, *230*; obliterans, 230+; ochracea, 231; ochraceofulva, 235+; peliophylla, 231; proteus, 230; rubelliana, 231; saxicola, 230+*m; scopularis, 245+*; sect. Gasparrinia, 230+; sipeana, 252; splendens, 252; squamosa-group, 231; stantonii, 231; **stellata sp. nov.,** 246+*m; submexicana f. imbricata, 252; subnitida, *253*; **texana sp. nov.,** 247+*m; thallincola, 253; thamnodes, 231+*; tominii, 230+; tonduziana, 252; trachyphylla, 230+*m; verruculifera, 251+*m
Calymperaceae (Pseudopetiolate species), 594+
Calymperes (Pseudopetiolate species), 594+
Calymperes aeruginosum, 594+*; palisotii subsp. palisotii, 131+*; robinsonii, 594+*; venezuleanum, 594+*
Calypogeia azurea, 120; fissa, 120, 368+; muelleriana, 120, 368+; neesiana, 120, 368+; trichomanis, 368+
Canada (Mackenzie River Basin), 572+m
Canada (peatlands), 560+
Canadian Climate Centers (CCC) General Circulation model (GCM), 575+
CANO, MARÍA J. *See* GARCÍA-ZAMORA, PEDRO, 588+
Caperatic acid (Usnea), 313
Carbohydrates, 357+
Cascade Range, Oregon (cyanolichen transplants), 20+m
CASTAÑEDA BERNAL, RUTH & CLAUDIO DELGADILLO M. Fissidens crispus from Holocene Deposits in Central Mexico, 109+
Catarraphia, 383+
Cavendishia platyphylla, *17*
Cephalodia, 395
Cephalozia bicuspidata, 120, 368+; lunulifolia, 120, 368+
Cephaloziella divaricata, 120; divaricata var. scabra, 120+, 368+
Ceratodon purpureus (cryopreservation), 32+
Chaenotheca olivaceorufa, 558+*m
Checklist (Additions to the Lichen Flora of Arizona), 93+
Checklist (Infrageneric taxa and species of Leucoloma), 202+
Checklist (Lichenicolous fungi of British Columbia), 221+
Checklist (Liverworts of Xinjiang, China), 439+
China (Lejeunea), 137+*m
China (Liverworts of Xinjiang), 439+*
China (Plagiochila), 282+
Chiodecton, 383+
Chiodectonic acid (Arthoniales), 386
Chloroatranorin (Lecanora flavopallida), 106
Chloroatranorin (Lecanora subimmersa), 261
Chlorophyceae, 394
Chloroplast injury, 361+
CHRISTIANSON, MICHAEL L. A Simple Protocol for Cryopreservation of Mosses, 32+
Chromium (Evernia), 451+
Chromosome counts (Reboulia spp.), 61+
Chrysothrichaceae, 383+
Chrysothrix, 383+
CHURCHILL, STEVEN P. *See* REESE, WILLIAM D., 153+
Cladistic analysis (Diploschistes), 398+
Cladistic analysis (Orthotrichum), 519+
Claopodium bolanderi, 119; crispifolium, 119, 368+; whippleanum, 119
Classification (Arthoniales), 377+
Classification(Leucoloma), 181+
CLERC, PHILIPPE. *See* HALONEN, PEKKA, 36
CLERC, PHILIPPE. *See* HERRERA-CAMPOS, MARIA ANGELES, 303+
CO_2, 576+
COLE, MARIETTA S. *See* ALSTRUP, VAGN, 221+
Colombia (Syrrhopodon perangustifolius), 153+*
Combea, 383+; mollusca, 72+
Confumarprotocetraric acid (Usnea), 40+
Consensus tree (Orthotrichum), 531
Consensus tree (Polytrichales), 497
Conservation (cyanolichens), 20+
Constictic acid (Usnea), 40+, 313
Convirensic acid (Usnea), 40+
Copper (Evernia), 451+
Coscinodon calyptratus, 89+*m
Costa Rica (New species of Bryaceae), 600+

CRANDALL-STOTLER, BARBARA. [Review of:] Iqbal, Mohammad. Growth Patterns of Vascular Plants, 353
CRANDALL-STOTLER, BARBARA J. *See* THERRIEN, JAMES P., 1+
Cresponea, 383+
CRUM, HOWARD A. *See* MCFARLAND, KENNETH D., 481+
Cryopreservation (bryophytes), 278+
Cryopreservation (mosses), 32+
Cryptostictic acid (Usnea), 40+
Cryptothecia, 383+
Cuticonema (nematode), 507+
Cyanobacteria, 394
Cyanolichen transplants, 20+m

DAILY, GRETCHEN. Nature's Services: Societal Dependence on Natural Ecosystems [review], 475
Darbishirella gracillima, 71+
DAVIS, WILLIAM C. *See* NASH III, THOMAS H., 93+
Dawsonia papuana, 491+
Dawsophila, 383+
DELGADILLO M., CLAUDIO. *See* CASTAÑEDA BERNAL, RUTH, 109+
Dendrographa, 70+, 383+; alectoroides, 72+; alectoroides f. alectoroides, 405+; alectoroides f. parva, 405+; leucophaea, 72+, 404+; leucophaea f. leucophaea, 405+; leucophaea f. minor, 72+, 405+
Dendroligotrichum dendroides, 491+
Depsidone cyclographin (Arthoniales), 385
DEY, JONATHAN P. [Review of:] Tønsberg, T., Y. Gauslaa, R. Haugen, H. Holien, & E. Timdal. The Threatened Macrolichens of Norway—1995, 352+
DI GIACOMO, FRANCO. *See* LOPPI, STEFANO, 451+
Dibenzofuranes (Arthoniales), 382+
Dichosporidium, 383+
Dicranaceae, 181+
Dicranella varia, 119+
Dicranoloma, 182+
Dicranoweisia cirrata, 119
Dicranum, 182+; fuscescens, 119+, 368+; howellii, 119, 368+; tauricum, 119, 368+
Dictyochloropsis symbiontica, 396
Diffractic acid (Hypogymnia hengduanensis), 556+
Diffractaic acid (Usnea), 40+, 313
Diphyscium foliosum, 491+
Diplophyllum albicans, 120; obtusifolium, 120
Diploschistes, 398+; actinostomus, 400+; aeneus, 400+; arabiensis, 400+; austroafricanus, 400+; badius, 400+; caesioplumbeus, 400+; candidissimus, 400+; cinereocaesius, 400+; conceptionis, 400+; diacapsis, 400+; diploschistoides, 400+; euganeus, 400+; gypsaceus, 400+; gyrophoricus, 400+; henssenianae, 400+; hypoleucus, 400+; isabellinus, 400+; megalosporus, 400+; muscorum, 400+; ocellatus, 400+; prominens, 400+; ramppodensis, 400+; scruposus, 400+; sticticus, 400+; thelenelloides, 400+; thunbergianus, 400+
Diploschistesic acid (Diploschistes), 399+
Dirina, 383+; catalinariae, 72+, 405+; ceratoniae, 72+
Discosiella novae-zelandiae, *150*+
Ditrichum montanum, 119+; schimperi, 119
DNA (Leucobryum), 272+
Dolichocarpus, 383+
Dominican Republic (Calymperes palisotii subsp. palisotii) 131+
Douinia ovata, 120
Drepanocladus fluitans, 560+; polycarpus, 560+; sendtneri, 560+; vernicosus, 560+

Echinothecium aerophilum sp. nov., 224+*
Ecological half-lives (Caesium-137 & lichens), 422+
Ecozones (Mackenzie River Basin, Canada), 562m
Ecphyadophora (nematode), 507+
ELDRIDGE, DAVID & MERRIN TOZER. A Practical Guide to Soil Lichens & Bryophytes of Australia's Dry Country [review], 180
Electrophoresis (Plagiomnium), 265
Elliptochloris bilobata, 396; sp., 396
Emodin (Caloplaca), 235+
Encapsulation (cryopreservation), 278+
Entosthodon durieui, 133+*; mustaphae, *134*; pallescens, *133*+; physcomitroides, *134*
Epipterygium tozeri, 119
Eremothecella, 383+
Errata, 354, 355, 479
Erythrodecton, 383+
ESSLINGER, THEODORE L. Recent Literature on Lichens—168, 170+
ESSLINGER, THEODORE L. Recent Literature on Lichens—169, 330+
ESSLINGER, THEODORE L. Recent Literature on Lichens—170, 458+
ESSLINGER, THEODORE L. Recent Literature on Lichens—171, 618+
Eudorylaimus spp. (nematode), 506+
Eurasia (Coscinodon calyptratus), 89+m
Eurhynchium oreganum, 119+, 368+, 505+; praelongum, 119, 368+
Europe (Anacolia menziesii), 588+
Evernia prunastri, 451+
Evernic acid (Usnea), 40+

Fallacinal (Caloplaca), 235+
Fatty acids (Usnea), 40+
Feigeana, 383+
Fens, 560
Fens (Poor fens, rich fens), 576+m
Fern species, 512+
FEUERER, TASSILO. *See* NASH III, THOMAS H., 93+
Fissidens bryoides, 119; crispus, 109+*; pauperculus, 119+
Follmaniella, 383+
Forest floor bryophytes, 116+
FRAHM, JAN-PETER & WILLIAM D. REESE. Calymperes palisotii (Musci; Calymperaceae) Found in Dominican Amber, 131+*
FRIEDL, THOMAS. *See* RAMBOLD, GERHARD, 392+
Frullania californica, 120; franciscana, 120, 368+; nisquallensis, 120
Fumarprotocetraric acid (Usnea), 40+, 313
Funaria hygrometrica, 491+
Funaria hygrometrica (cryopreservation), 32+

Gangaleoidin (Lecanora sulphurescens), 261+
GARCÍA-ZAMORA, PEDRO, ROSA MARÍA ROS, MARÍA J. CANO, & JUAN GUERRA. Anacolia menziesii (Bartramiaceae, Musci) a New Species to the European Bryophyte Flora, 588+
GEHRKE, CAROLA. *See* BARSIG, MICHAEL, 357+
Gene primers (Polytrichales), 496
Gene sequences (Polytrichales), 491+
Genetic identity (Plagiomnium), 266+
Geocalyx graveolens, 120
GIBBINGS, J. GEORGE. *See* HYVÖNEN, JAAKKO, 489+
GIGNAC, L. DENNIS, BARBARA J. NICHOLSON, & SUZANNE E. BAYLEY. The Utilization of Bryophytes in Bioclimatic Modeling: Predicted Northward Migration of Peatlands in the Mackenzie River Basin, Canada, as a Result of Global Warming, 572+
GIGNAC, L. DENNIS, BARBARA J. NICHOLSON, & SUZANNE E. BAYLEY. The Utilization of Bryophytes in Biocli-

matic Modeling: Present Distribution of Peatlands in the Mackenzie River Basin, Canada, 560+
Global warming, 572+
Gloeocapsa, 394+
GOFFINET, BERNARD. [Review of:] McCune, Bruce & Linda Geiser. Macrolichens of the Pacific Northwest, 478
Gorgadesia, 383+; mira, 72+
GOWARD, TREVOR. *See* HALONEN, PEKKA, 36+*m
Graphidastra, 383+
Greece (Caesium-137 & lichens), 422+
GREENE, DIANE M. *See* PETERSON, ERIC B., 112+*m
GREVEN, HENK C. Grimmia macro-perichaetialis, a New Species from Australia, 100+
Grimmia calyptrata, *89*; **macro-perichaetialis sp. nov.,** 100+*
GROLLE, RICLEF & MAY LING SO. Studies on Plagiochila in China II, 282+
GRUBE, MARTIN. Classification and Phylogeny in the Arthoniales (Lichenized Ascomycetes), 377+
GUERRA, JUAN. *See* GARCÍA-ZAMORA, PEDRO, 588+
Gymnographoidea, 383+
Gyrophoric acid (Diploschistes), 399+

HAFELLNER, JOSEF. *See* NASH III, THOMAS H., 93+
HALE, MONICA. Ecology in Education [review], 475+
HALONEN, PEKKA, PHILIPPE CLERC, TREVOR GOWARD, IRWIN M. BRODO & KATHARINA WULFF. Synopsis of the Genus Usnea (Lichenized Ascomycetes) in British Columbia, Canada, 36+*m
HAMMER, SAMUEL. [Review of:] Niklas, Karl J. Plant Allometry, 179
Haploidy (Reboulia), 61+
HARADA, HIROSHI. Stigula maritima (Lichenized Ascomycota, Strigulaceae), a New Maritime Species from Western Japan, 605+
Hardwood gaps, 116+
HEDDERSON, TERRY A. *See* HYVÖNEN, JAAKKO, 489+
HEDENÄS, LARS. *See* LEWINSKY-HAAPASAARI, JETTE, 519+
Helicodontium cappelare, 279+
HENNIG86, 523
HERRERA-CAMPOS, MARIA ANGELES, PHILIPPE CLERC, & THOMAS H. NASH, III. Pendulous Species of Usnea from the Temperate Forests in Mexico, 303+
Heterocladium macounii, 119
Hispaniola (Calymperes palisotii subsp. palisotii), 131+
Holocene deposit (Fissidens crispus), 109+
Homalothecium nuttallii, 119, 368+
Homostegia dermatocarpae sp. nov., 225+*
HU, REN-LIANG. *See* WHITTEMORE, ALAN T., 439+
Hubbsia, 383+; californica, 72+
HUTTEN, MARTIN A. *See* PETERSON, ERIC B., 112+*m
Hylocomium, 368+; splendens, 119, 560+
Hypnum circinale, 119, 368+; pratense, 560+; subimponens, 119, 368+
Hypogymnia hengduanensis, 556+
Hypoprotocetraric acid (Usnea), 313
Hypothallin (Arthoniales), 385
Hypotrachyna gondylophora, 448+; **riparia sp. nov.,** 448+*
HYVÖNEN, JAAKKO, TERRY A. HEDDERSON, GARY L. SMITH MERRILL, J. GEORGE GIBBINGS, SATU KOSKINEN. On Phylogeny of the Polytrichales, 489+

India (Lecanora subfusca group), 256+
Indicator values, 370+
Ingaderia, 383+; pulcherrima, 71+
INGHAM, RUSSELL E. *See* MERRIFIELD, KATHY, 505+
Invertebrates (aquatic), 505+
IQBAL, MOHAMMAD. Growth Patterns of Vascular Plants [review], 353
Isothecium cristatum, 119, 368+; myosuroides, 119+, 368+
Isozyme analysis (Porella spp.), 1+
Isozyme analysis (Reboulia spp.), 61+
Italy (Evernia prunastri) 451+
Itatiella ulei, 491+

Japan (Reboulia), 61+
Japan (Stigula maritima), 605+
JØRGENSEN, PER M. Acantholichen pannarioides, a new basidiolichen from South America, 444+
Jungermannia arbuscula, *290*; leiantha, 120, 368+; platyphylla, *17*; platyphylloidea, *17*
Jungermanniaceae, 428+
Juvenile leaves (pseudopetiolate Calymperaceae), 597+*

KÄLLERSJÖ, MARI. *See* LOHTANDER, KATILEENA, 404+
KÄLLERSJÖ, MARI. *See* MYLLYS, LEENA, 70+
KARANDINOS, MICHAEL G. *See* RIGA-KARANDINOS, A. NELLY, 422+
KÄRNEFELT, EINAR I. *See* WETMORE, CLIFFORD M., 230+
Kazakstan (Coscinodon calyptratus), 91m
Key (Caloplaca, American lobate & subfruticose species), 232+
Key (Genera of Arthoniales), 386+
Key (Hypotrachyna in northwestern North America), 450
Key (Lecanora in India), 256+
Key (Mexican pendulous Usnea), 310+
Key (Orthotrichum rivulare complex), 296
Key (Scaphophyllum, Hattoria, & Gottschelia), 428+
Key (Scaphophyllum speciosum subspecies), 433+
Key (Synoptic key to infrageneric taxa of Leucoloma), 200+
Key (Taxa of Syrrhopodon incompletus Schwaegr. s. l.), 153+
Key (Usnea in British Columbia), 43+
Keys (Plagiochila in China), 286+
KOSKINEN, SATU. *See* HYVÖNEN, JAAKKO, 489+

LA FARGE-ENGLAND, CATHERINE. The Infrageneric Phylogeny, Classification, & Phytogeography of Leucoloma (Dicranaceae, Bryopsida), 181+
LAMBOURDIERE, JOSIE. *See* BOISSELIER-DUBAYLE, MARIE-CATHERINE, 61+
Lasergene package (Polytrichales), 495
Lead (Evernia), 451+
Lecanactis, 70+, 383+; abietina, 71+
Lecanographa, 383+
Lecanora, 103+; sensu stricto, 103+; callopisma *252*; campestris subsp. campestris, 257+*; **campestris subsp. gulmargia subsp. nov.,** 258+*; cenisia, 258+*; cf melacarpella, 259+*; cinereofusca var. appalachensis, 259; cinereofusca var. cinereofusca, 259; **cinereofusca var. himalayensis var. nov.,** 258+*; cirrochroa, *236*; coronulans group, 256; fimbriatula, 256; flavopallescens, *103*; flavopallida, 103+*; glaucoflavens, *103*; khatiensis, 256; kumaoensis, 256; lineolata, *103*; **muralis var. brunneola comb. nov.,** 96; murorum var. thallincola, *253*; pallida group, 256; pseudistera, 259+*; scopularis, *245*; streimannii, 260+*; subfusca group, 256+; subimmersa, 261+*; sulphurescens, 261+*; symmictoides, 103
Lecanoric acid (Diploschistes), 399+
Lecidea glaucoflavens, *103*
Lejeunea cocoes, 137+*m; **convexiloba sp. nov.,** 137+*; konosensis, 140; magohukui, 141; parva, 141; potens var. uncrenata, *141*; proliferans, *137*; tuberculosa, 141+m
Lejeunia platyphylla, *17*; platyphylloidea, *17*; reptans, 120, 268+
Leptodictyum humile, 119

Leptolaimus (nematode), 507+
Leucobryum albidum, 272+*; glaucum, 272+*
Leucolepis acanthoneuron, 119, 368+
Leucoloma, 181+m; subsection Albescentia, 206+m; amblyacron, 194*; amoene-virens, 192+*; bifidum, 205; brevioperculatum, 191; caespitulans, 206; cf. secundifolium, 193*; chlorophyllum, 191+*; comorae, 208; cuneifolium, 196*; dichelymoidea, 208; fuscifolium, 207; grandidieri, 192*; holstii, 196*; longifolium, 196*; persecundum, 192*; perviride, 207; sanctae-mariae, 191; section Attenuata, 208+m; section Caespitulosa, 206+m; section Dichelymoidea, 208+m; section Dicranoidea, 206+m; section Holomitrioidea, 206+m; section Leucoloma, 208; section Obscura, 208; section Subvittata, 208+m; **series Contorta ser. nov.,** 207; **series Holomitrioidea comb. nov.,** 207, series Serrata, 207+m; **series Teretia ser. nov.,** 207+m; seychellense, 208; sinuosum, 205; sprengelianum, 193*; subchrysobasilare, 196*; subgenus Leucoloma section Leucoloma, 183+; subgenus Leucoloma section Obscura, 183+; subgenus Leucoloma section Subvittata, 183+; subgenus Leucoloma, 208+m; subgenus Sphenodictyon, 183+; subgenus Synacratodictyon Dichelymoidea, 183+; subgenus Synacratodictyon fuscifolium spp. group, 183+; subgenus Synacratodictyon perviride spp. group, 183+; subgenus Synacratodictyon section Albescentia, 183+; subgenus Synacratodictyon section Caespitulosa, 183+; subgenus Synacratodictyon section Dicranoidea, 183+; subgenus Synacratodictyon section Holomitrioidea, 183+; subgenus Synacratodictyon sprengelianum spp. group, 183+; subgenus Synacratodictyon tenerum spp. group, 183+; subgenus Synacratodictyon tortellum spp. group, 183+; subgenus Syncratodictyon, 205; **subsection Acuminata subsect. nov.,** 207+m; subsection Caespitulosa, 206+m; subsection Holomitrioidea, 207; **subsection Seriata subsect. nov.,** 206+m; **subsection Serrata subsect. nov.,** 207; taylorii, 192*; tenerum, 207; tortellum, 207; tuberculosum, 196*; zuluense var. zuluense, 193*
Leucostoma persoonii, 71+
LEWINSKY-HAAPASAARI, JETTE. A Re-evaluation of Orthotrichum euryphyllum, 295+
LEWINSKY-HAAPASAARI, JETTE & DANIEL H. NORRIS. Orthotrichum shevockii (Orthotrichaceae), a New Moss Species from the Southern Sierra, California, 435+
LEWINSKY-HAAPASAARI, JETTE & LARS HEDENÄS. A Cladistic Analysis of the Moss Genus Orthotrichum, 519+
Lichen aurantius, *252*; flavescens, *252*
Lichenicolous fungi, 221+
Lichenized Ascomycota (Stigula maritima), 605+
Lichenoconium edgewoodensis sp. nov., 225+*
Liverworts (Xinjian, China), 439+
Llimonaea, 383+
Lobaria oregana, 20+; pulmonaria, 423+
LOHTANDER, KATILEENA, LEENA MYLLYS, RIKARD SUNDIN, MARI KÄLLERSJÖ, & ANDERS TEHLER. The Species Pair Concept in the Lichen Dendrographa leucophaea (Arthoniales) Analyses Based on ITS Sequences, 404+
Lophocolea cuspidata, 120, 368+; heterophylla, 120, 368+
Lophozia incisa, 120
LOPPI, STEFANO, GIOVANNI PACIONI, NICOLA OLIVIERI, & FRANCO DI GIACOMO. Accumulation of Trace Metals in the Lichen Evernia prunastri Transplanted at Biomonitoring Sites in Central Italy, 451+
LUMBSCH, H. THORSTEN & ANDERS TEHLER. A Cladistic Analysis of the Genus Diploschistes (Ascomycotina, Thelotremataceae), 398+
LUMBSCH, H. THORSTEN. *See* NASH III, THOMAS H., 93+
Lyellia aspera, 491+

Mac Clade, 183+
MACMILLAN, BRYONY H. Checklist of the Mosses of Banks Peninsula, New Zealand [review], 352
Madotheca navicularis var. thuja, *17*; platyphylla, *17*; platyphylloidea, *17*; porelloides, *17*
MALCOLM, W. M. & D. J. GALLOWAY. New Zealand Lichens. Checklist, Key, & Glossary [review], 179+
MALONEY, KATRINA M. [Review of:] HALE, MONICA. Ecology in Education, 475+
Managed forest (cyanolichens), 20+
Managed stands (forest floor bryophytes), 116+
Marchantia polymorpha, 279+
MCCUNE, BRUCE. Hypotrachyna riparia, a New Lichen from Western North America, 448+
MCCUNE, BRUCE. *See* PETERSON, ERIC B., 112+*m
MCCUNE, BRUCE. *See* SILLETT, STEPHEN C., 20+m
MCCUNE, BRUCE & LINDA GEISER. Macrolichens of the Pacific Northwest [review], 478
MCFARLAND, KENNETH D., LEWIS E. ANDERSON, HOWARD A. CRUM. A Tribute to Aaron John Sharp—July 29, 1904–November 16, 1997, 481+
Mediterranean area, western (Reboulia), 61+
Mediterranean countries and islands (Entosthodon durieui), 133+
Meiotrichum lyallii, 491+
Memorial (Aaron John Sharp), 481+
Mendocino County, California (Sulcaria badia), 112+m
Menegazziaic acid (Usnea), 40+
MERRIFIELD, KATHY & RUSSELL E. INGHAM. Nematodes and Other Aquatic Invertebrates in Eurynchium oreganum from Mary's Peak, Oregon Coast Range, 505+
MERRILL, GARY L. SMITH. *See* HYVÖNEN, JAAKKO, 489+
Mexico (Usnea), 303+
Microlejeunea rotundistipula fo. parva, *141*
Mielichhoferia paroica sp. nov., 600+*
Mites, 508+
Mnium spinulosum, 119+
Moisture content (Eurynchium oreganum), 506+
Monhystera spp. (nematode), 507+
Morphological analysis (Arthoniales), 70+
Morphological analysis (Reboulia spp.), 61+
Morphological differentiation (Porella spp.), 1+
Mosses (cryopreservation), 32+
Muelleriella crassifolia, 519+
MUIR, PATRICIA S. *See* RAMBO, THOMAS R., 116+
MUIR, PATRICIA S. *See* RAMBO, THOMAS R., 366+
MUÑOZ, JESÚS. Amended Description of Coscinodon calyptratus (Grimmiaceae) and Major Range Extensions into Eurasia and New Zealand, 89+*m
Murolic acid complex (Usnea), 40+
Mycocicrothelia striguloides sp. nov., 144+*
Mylia anomala, 560+
MYLLYS, LEENA. *See* LOHTANDER, KATILEENA, 404+
MYLLYS, LEENA, MARI KÄLLERSJÖ & ANDERS TEHLER. A Comparison of SSU rDNA Data and Morphological Data in Arthoniales (Euascomycetes) Phylogeny, 70+
Myrmecia biatorellae, 396

NASH, THOMAS H., III. *See* HERRERA-CAMPOS, MARIA ANGELES, 303+
NASH, THOMAS H., III, BRUCE D. RYAN, WILLIAM C. DAVIS, OTHMAR BREUSS, JOSEF HAFELLNER, H. THORSTEN LUMBSCH, LEIF TIBELL & TASSILO FEUERER. Additions to the Lichen Flora of Arizona IV, 93+
Neckera douglasii, 119+, 368+
Neighborhood-joining tree (Bryum argenteum), 416+
Nematodes, 505+

Neovolcanic Belt, Mexico (Fissidens crispus), 109+
New Zealand (Bryum argenteum), 412+
New Zealand (Coscinodon calyptratus), 89+m
New Zealand (Lecanora flavopallida), 106
New Zealand (Mycomicrothelia striguloides), 144+*
New Zealand (Reboulia), 61+
New Zealand (Strigula), 147+
NICHOLSON, BARBARA J. *See* GIGNAC, L. DENNIS, 560+
NICHOLSON, BARBARA J. *See* GIGNAC, L. DENNIS, 572+
NIKLAS, KARL J. Plant Allometry [review], 179
NINHAM, JENNIFER A. *See* SKOTNICKI, MARY, 412+
NORRIS, DANIEL H. *See* LEWINSKY-HAAPASAARI, JETTE, 295+
NORRIS, DANIEL H. *See* LEWINSKY-HAAPASAARI, JETTE, 435+
Norstictic acid (Usnea), 40+, 313
Norstictic acid complex (Diploschistes), 399+
North America (Chaenotheca olivaceorufa), 558+
North America, Western (Hypotrachyna riparia), 448+
North and Central America (Caloplaca), 230+
Nostoc, 394+
Notoligotrichum australe, 491+

ODRZYKOSKI, IRENEUSZ J. *See* WYATT, ROBERT, 263+
Oedipodium griffithianum, 491+
Old-growth forest (cyanolichens), 20+
Old-growth stands (forest floor bryophytes), 116+
Oligotrichum parallelum, 491+
OLIVIERI, NICOLA. *See* LOPPI, STEFANO, 451+
Onoclea sensibilis, 512+
Opegrapha, 377+
Orcinol type compounds (Arthoniales), 382+
Oregon (bryophyte ecology), 116+
Oregon (bryophyte species association), 366+
Oregon (epiphytic cyanolichens), 20+
Oregon (Eurynchium oreganum), 505+
Orthotrichum acuminatum, 519+; aequatoreum, 519+; affine, 519+; alpestre, 435+, 519+; anaglyptodon, 519+; anomalum, 519+; araucarieti, 519+; arborescens, 519+; armatum, 519+; assimile, 519+; bartramii, 519+; bicolor, 519+; bolanderi, 519+; brassii, 519+; brotheri, 519+; callistomum, 519+; calvum, 519+; compactum, 519+; consimile, 119, 519+; consobrinuum, 519+; crenulatum, 519+; crispifolium, 519+; cupulatum, 298, 519+; cyathiforme, 519+; dasymitrium, 519+; densum, 519+; denticulatum, 519+; diaphanum, 519+; elegantulum, 519+; elongatum, 519+; epapillosum, 295+; erosum, 519+; erubescens, 519+; euryphyllum, 295+*, 519+; exiguum, 519+; fenestratum, 519+; firmum, 519+; flowersii, 519+; gigantosporum, 519+; graphiomitrium, 519+; griffithii, 519+; gymnostomum, 519+; hallii, 519+; hawaiicum, 519+; holmenii, 519+; holzingeri, 298, 519+ ; hooglandii, 519+; hookeri, 519+; hortense, 519+; ibericum, 519+; ibukiense, 519+; incrassatum, 519+; incurvomarginatum, 519+; johnstonii, 519+; keeverae, 519+; laevigatum, 519+; latimarginatum, 519+; laxifolium, 519+; leiolecythis, 519+; liliputanum, 519+; ludificans, 519+; lyellii, 119, 368+, 519+; macrocephalum, 519+; mandonii, 519+; meyenianum, 519+; microcarpum, 519+; notabile, 519+; obtusifolium, 519+; ohioense, 519+; oreophilum, 519+; pallens, 519+; paraguense, *519*+; pariatum, 519+; patens, 519+; pellucidum, 519+; penicillatum, 519+; pereiguum, 519+; philibertii, 519+; praemorsum, 298, 519+; psycrophilum, 519+; pulchellum, 519+; pulchrum, 519+; pumilum, 519+; pungens, 519+; pusillum, 519+; pycnophyllum, 519+; pylaisii, 519+; revolutum, 519+; rivulare, 295+*, 519+; rogeri, 519+; rupestre, 519+; sainsburyi, 519+; scanicum, 519+; schoddei, 519+; sharpii, 519+; **shevockii sp. nov.,** 435+*; sinuosum, 519+; sordidum, 519+; speciosum, 119, 368+, 519+; spanotrichum, 519+; spjutii, 519+; sprucei, 295+*, 519+; steerei, 519+; stellatum, 519+; stramineum, 519+; strangulatum, 519+; striatum, 519+; subexsertum, 519+; subpumilum, 519+; subulatum, 519+; taiwanense, 519+; tasmanicum, 519+; tenellum, 519+; tenuicaule, 519+; tortifolium, 519+; trachymitrium, 519+; transvaaliense, 519+; tristriatum, 519+; truncato-dentatum, 519+; truncatum, 519+; urnaceum, 519+; urnigerum, 519+; vicarium, 519+; vladikavkanum, 519+
Overstory (forest floor bryophytes), 116+
OZONE, 512+

PACIONI, GIOVANNI. *See* LOPPI, STEFANO, 451+
Paradoxomyces, 383+
Parietin (Arthoniales), 386
Parietin (Caloplaca), 235+
Parietinic acid (Caloplaca), 235+
Parmelia subfusca var. campestris, *257*
Patristic distance matrix, 198+
PATTERSON, EVIAN, SANDRA BLAKE BOLES, & A. JONATHAN SHAW. Nuclear Ribosomal DNA Variation in Leucobryum glaucum & L. albidum (Leucobryaceae): A Preliminary Investigation, 272+
PAUP (computer program), 183, 399, 406
PAUP (Polytrichales), 495
PCR (Bryum argenteum), 414
PCR (Dendrographa), 406
PCR (Polytrichales), 495
Peat plateaus, 576+m
Peatlands (Mackenzie River Basin, Canada), 560+
Peatlands (Northern migration), 572+
PENCE, VALERIE C. Cryopreservation of Bryophytes: the Effects of Abscisic Acid & Encapsulation Dehydration, 278+
Perigrapha, 383+
PETERSEN, RAYMOND. *See* BOSLEY, AUGUSTUS, 512+
PETERSON, ERIC B., DIANE M. GREENE, BRUCE MCCUNE, ERIC T. PETERSON, MARTIN A. HUTTEN, PETER WEISBERG, & ROGER ROSENTRETER. Sulcaria badia, a Rare Lichen in Western North America, 112+*m
PETERSON, ERIC T. *See* PETERSON, ERIC B., 112+*m
Phaeophyceae, 394
PHARO, EMMA. [Review of:] ELDRIDGE, DAVID & MERRIN TOZER. A Practical Guide to Soil Lichens & Bryophytes of Australia's Dry Country, 180
PHARO, EMMA. [Review of:] DAILY, GRETCHEN. Nature's Services: Societal Dependence on Natural Ecosystems, 475
PHARO, EMMA [Review of:] MACMILLAN, BRYONY H. Checklist of the Mosses of Banks Peninsula, New Zealand, 352
Phenolic carboxylic derivatives (Arthoniales), 382+
Photobiont incertae sedis, 394
Photobionts, 392+
Phylogenetic analysis (Arthoniales), 70+
Phylogenetic Analysis Using Parsimony (PAUP), 183+, 399, 406
Phylogenetic relationships (Lichens), 392+
Phylogeny, 181+
Phylogeny (Arthoniales), 377+
Phylogeny (Polytrichales), 489+
Phylogram, 188+*
Physcia decipiens, *239*
Physcomitrella patens (cryopreservation), 32+
Phytogeography, 181+
Pigments, 357+
Placodium, 256

Placodium angustinum, *240*; brouardii, *235*; brouardii var. flavidum, *252*; cladodes, *236*; coralloides, *237*; cupuliferum, *237*; dissidens, *252*; elegans var. trachyphyllum, *249*; eugyrum *240*; galactophyllum, *240*; obliterans, *253*; submexicanum f. imbricatum, *252*; verruculiferum, *251*
Plagiochila, 282+; acutiloba, *291*; akiyamae, 286+*; alata, 286+; arbuscula, 290; belangeriana, *290*; cardotii, 286+*; chinensis, 291; cuspidata, 287+; denticulata, 287+; determesii, *292*; determii, *292*; **emeiensis sp. nov.,** 283+*; formosae, *290*; ghatiensis, 291; gollanii, 291; hamulispina, 292; harae, 287+; irrigata, *291*; kitagawae, *292*; kurzii, 287+; lacerata, *291*; parviramifera, 287+; parviramiferae, 284; pocsii, *293*; pseudopoeltii, 290+; satoi, 368+; semidecurrens var. alaskana, 120; sichuanensi, 283; **sichuanensis sp. nov.,** 284+*; sinensis, *291*; sp., 279+; spinulosa, 285; subtropica, 292; tagawae, 290+; tongtschuana, *291*; torquescens, *292*; trabeculata, 293; wilsoniana, *291*
Plagiomnium acutum, 263; cuspidatum, 263+; drummondii, 263; insigne, 119, 368+; japonicum, 263
Plagiothecium laetum, 119, 368+; undulatum, 119, 368+
Plectocarpon, 383+
Plectus spp. (nematode), 506+
Pleuridium julaceum, *86*+
Pleurozium schreberi, 560+
Pogonatum contortum, 119, 368+, 491+; urnigerum, 491+
Pohlia cruda, 119
Polyploidy (Reboulia), 61+
Polytrichadelphus magellanicus, 491+
Polytrichales (Phylogeny), 489+
Polytrichastrum formosum, 491+; longisetum, 491+
Polytrichum commune, 357+, 491+, 512+; juniperinum, 119
Porella cordaeana, 3+, 120; jackii, *18*; navicularis, 120, 368+; notarisii, *18*; platyphylla, 1+*; platyphylla var. platyphylloidea, *18*; platyphylloidea fo. bidenticulata, *18*; platyphylloidea fo. radulopsis, *18*; roellii, 120
Prionchulus muscorum (nematode), 506+
Proline (cryopreservation), 32+
Protocetraric acid (Usnea), 40+, 313
Protoparmelia, 256
Pseudochlorella sp., 396
Pseudocyphellaria rainierensis, 20+
Pseudoleskea stenophylla, 119
Pseudopetiolate species (Calymperes & Syrrhopodon), 594+
Pseudotaxiphyllum elegans, 119, 368+
Pseudotsuga menziesii (cyanolichen transplants), 20+
Pseudotsuga menziesii forest (bryophyte ecology), 116+
Psilopilum laevigatum, 491+
Psora saxicola, *243*
Psoromic acid (Arthoniales), 386
Psoromic acid (Usnea), 40+
Ptilidium californicum, 120, 368+
Pulvinic acid derivatives (Arthoniales), 382+
Pulvinodectron, 383+
PURSELL, RONALD A. *See* ALLEN, BRUCE, 156+
PURSELL, RONALD A. *See* ALLEN, BRUCE, 343+
PURSELL, RONALD A. *See* ALLEN, BRUCE, 471+
PURSELL, RONALD A. *See* ALLEN, BRUCE, 608+

Quercus garryana (Sulcaria badia), 113+

Random Amplified Polymorphic DNA (Bryum argenteum), 412+
Racomitrium affine, 119+; aquaticum, 119+; obesum, 119+; occidentale, 119+; varium, 119+
Radula bolanderi, 120, 368+; complanata, 120, 368+
Ramalina farinacea, 423+
RAMBO, THOMAS R. & PATRICIA S. MUIR. Forest Floor Bryophytes of Pseudotsuga menziesii-Tsuga heterophylla Stands in Oregon: Influences of Substrate & Overstory, 116+
RAMBO, THOMAS R. & PATRICIA S. MUIR. Bryophyte Species Associations with Coarse Woody Debris and Stand Ages in Oregon, 366+
RAMBOLD, GERHARD, THOMAS FRIEDL, & ANDREAS BECK. Photobionts in Lichens: Possible Indicators of Phylogenetic Relationships, 392+
RAPD diversity (Bryum argenteum), 412+
Rare lichen (Sulcaria badia), 112+*m
REBBECK, JOANNE. *See* BOSLEY, AUGUSTUS, 512+
Reboulia, 61+; hemisphaerica, 61+; hemisphaerica subsp. australis, 67+; hemisphaerica subsp. orientalis, 66+; hemisphaerica var. hemisphaerica, 66; longipes, 66; queenslandica, 62+
Recent Literature on Hepatics & Anthocerotes—151, 163+
Recent Literature on Hepatics & Anthocerotes—152, 347+
Recent Literature on Hepatics & Anthocerotes—153, 455+
Recent Literature on Hepatics & Anthocerotes—154, 608+
Recent Literature on Lichens—168, 170+
Recent Literature on Lichens—169, 330+
Recent Literature on Lichens—170, 458+
Recent Literature on Lichens—171, 618+
Recent Literature on Mosses—175, 156+
Recent Literature on Mosses—176, 343+
Recent Literature on Mosses—177, 471+
Recent Literature on Mosses—178, 608+
REESE, WILLIAM D. & STEVEN P. CHURCHILL. Syrrhopodon perangustifolius (Musci; Calymperaceae) comb. et stat. nov., and New to the Flora of Colombia, 153+*
REESE, WILLIAM D. Architecture, Anatomy, and Functional Morphology of the Pseudopetiolate Species of Calymperes and Syrrhopodon (Musci, Calymperaceae), 594+
REESE, WILLIAM D. *See* FRAHM, JAN-PETER, 131+*
Reinkeella, 383+; parishii, 72+
Residence times (Caesium-137 & lichens), 424+
Response surfaces, 566+
Restriction patterns (Leucobryum), 276
Réunion (New species of Bryaceae), 600+
Rhizine (Hypotrachyna riparia), 449*
Rhizomnium glabrescens, 119, 368+
Rhodocladonic acid (Arthoniales), 386
Rhytidiadelphus loreus, 119, 368+
Rhytidiadelphus triquetrus, 119, 368+
Rhytidiopsis robusta, 119, 368+
Ribosomal DNA (Arthoniales), 70+
Riccardia chamedryfolia, 120; latifrons, 120, 368+
Riccia fluitans, 279+
RIGA-KARANDINOS, A. NELLY & MICHAEL G. KARANDINOS. Caesium-137 Concentrations and Ecological Half-lives in Three Epiphytic Lichen Species from Southern Greece (Megalopolis), 422+
RIKKINEN, JOUKO. Chaenotheca olivaceorufa (Caliciales) New to North America, 558+
Roccanin (Arthoniales), 385
Roccella, 383+
Roccella canariensis, 71+; tinctoria, 71+
Roccellaceae, 383+
Roccellaceae (phylogenetic analysis), 70+
Roccellaria, 383+
Roccellic acid (Arthoniales), 386
Roccellina, 383+
Roccellographa, 383+
ROS, ROSA MARÍA. *See* GARCÍA-ZAMORA, PEDRO, 588+
ROSENTRETER, ROGER. *See* PETERSON, ERIC B., 112+*m

Rotifers, 507+
RYAN, BRUCE D. *See* NASH III, THOMAS H., 93+
RYAN, BRUCE D. [Review of:] Malcolm, W. M. & D. J. Galloway. New Zealand Lichens. Checklist, Key, & Glossary, 179+

Sagenidiopsis, 383+
Salazar Lake, Mexico, 109+
Salazinic acid (Hypotrachyna riparia), 448
Salazinic acid (Usnea), 40+, 313
SAR (simulated acid rain), 514+
Scapania americana, 120+; bolanderi, 120, 368+; umbrosa, 120, 368+
Scaphophyllum, 428+; speciosum subsp. speciosum, 433+; **speciosum subsp. villosum n. subsp.,** 434*
Schismatomma, 72+, 383+; pericleum, 72+
Schizopelte, 383+; californica, 72+
SCHNEIDER, KATHRIN. *See* BARSIG, MICHAEL, 357+
SCHUSTER, RUDOLF M. On the Genus Scaphophyllum (Jungermanniaceae), 428+
Sclerodontium, 182+; pallidum, 198+; touretii, 19
Scorpidium scorpioides, 560+
Scytonema, 394+
Sehnemobryum gen. nov., 549+; paraguense, 549
SELKIRK, PATRICIA M. *See* SKOTNICKI, MARY, 412+
SEM (Anacolia menziesii), 591+*
Sequence Navigator (Polytrichales), 495
SERUSIAUX, EMMANUËL & ANDRÉ APTROOT. Mycomicrothelia striguloides sp. nov. from New Zealand, 144+*
SERUSIAUX, EMMANUËL. Further Observations on the Lichen Genus Strigula in New Zealand, 147+*
SHARP, AARON JOHN (Tribute), 481+*
SHAW, A. JONATHAN, BRUCE ALLEN, & WILLIAM R. BUCK. New Species of Bryaceae (Mielichhoferia, Brachymenium) from Costa Rica & Réunion, 600+
SHAW, A. JONATHAN. *See* PATTERSON, EVIAN, 272+
Shikimic acid pathway (Arthoniales), 382+
Sichuan Province, China (Astomiopsis julacea), 86+
Sigridea, 383+; californica, 72+
SILLETT, STEPHEN C. & BRUCE MCCUNE. Survival and Growth of Cyanolichen Transplants in Douglas-fir Forest Canopies, 20+m
Simonyella, 383+
Sipmania, 383+
SKOTNICKI, MARY, JENNIFER A. NINHAM, & PATRICIA M. SELKIRK. High levels of RAPD Diversity in the Moss Bryum argenteum in Australia, New Zealand, and Antarctica, 412+
Skyrin (Arthoniales), 386
SNIDER, JERRY A. *See* YIP, KWOK LEUNG, 86+
SO, MAY LING. *See* GROLLE, RICLEF, 282+
SO, MAY-LING & RUI-LIANG ZHU. On Six Species of the Genus Lejeunea in China, including One New Species, 137+
South America (Acantholichen pannarioides), 444+
Sphaerellothecium gowardii sp. nov., 227+*
Species associations, 366+
Species pair concept, 404+
Sphagnum angustifolium, 560+; angustifolium (cryopreservation), 32+; fuscum, 560+; fuscum (cryopreservation), 32+; magellanicum, 560+; palustre, 491+; riparium, 560+
Spore germination, 512+
Squamaria muralis var. brunneola, 96
Squamatic acid (Usnea), 40+, 313
Stand age, 366+
Starch, sucrose, & glucose levels (Polytrichum commune), 363+
Stichococcus, 395+
Stictic acid (Usnea), 40+, 313
Stigonema, 394+
Stirtonia, 383+
Stoneobryum bunyaense, 519+; mirum, 519+
STOTLER, RAYMOND E. *See* THERRIEN, JAMES P., 1+
Streimannia, 383+
Strict consensus tree (Arthoniales), 381
Strigula, 147+; **Strigula delicata sp. nov.,** 147+*; fossulicola, 148+*; **Strigula maritima sp. nov.,** 605+*; nemathora, 152; **Strigula novae-zelandiae comb. nov.,** 148+*; oceanica, 148+*; subtilissima, 152
Strigulaceae (Strigula maritima), 605+
Subfossil moss (Fissidens crispus), 109+*
Substrate (bryophytes), 116+
Sulcaria badia, 112+*m
SUNDIN, RIKARD. *See* LOHTANDER, KATILEENA, 404+
Syncesia, 383+; farinacea, 72+
Syrrhopodon (Pseudopetiolate species), 594+; aristifolius, 594+*; elatus, 154; i. var. berteroanus, 153; i. var. incompletus, 155; i. var. luridus, 155; incompletus var. perangustifolius, 153+; lanceolatus, 153+*; loreus, 594+*; **perangustifolius comb. et stat. nov.,** 153+*

Talpapellis peltigerae gen. et sp. nov., 227+*
TAN, BENITO C. [Review of:] BAI, XUE-LIANG & ZUN-TIAN ZHAO. Flora Bryophytarum Intramongolicarum, 477+
Tania, 383+
Tardigrades, 508+
TEHLER, ANDERS. *See* LOHTANDER, KATILEENA, 404+
TEHLER, ANDERS. *See* LUMBSCH, H. THORSTEN, 398+
TEHLER, ANDERS. *See* MYLLYS, LEENA, 70+
Teloschistin (Caloplaca), 235+
TEM, 358+
Tephromela khatiensis, 256
Teratocephalus (nematode), 507+
Tetraphis pellucida, 119, 491+
Thamnolic acid (Usnea), 40+
Thelotremataceae, 398+
Themokarst pools, 576+m
THERRIEN, JAMES P., BARBARA J. CRANDALL-STOTLER & RAYMOND E. STOTLER. Morphological and Genetic Variation in Porella platyphylla and P. platyphylloidea and Their Systematic Implications, 1+
THIERS, BARBARA M. & WILLIAM R. BUCK. Recent Literature on Hepatics & Anthocerotes—151, 163+
THIERS, BARBARA M. & WILLIAM R. BUCK. Recent Literature on Hepatics & Antocerotes—153, 455+
THIERS, BARBARA M. *See* BUCK, WILLIAM R., 347+
THIERS, BARBARA M. *See* BUCK, WILLIAM R., 614+
Thiophanic acid (Lecanora flavopallida), 106
TIBELL, LEIF. *See* NASH III, THOMAS H., 93+
Timmia sibirica, 491+
Tokyo, Japan (Astomiopsis julacea), 86+
Tomenthypnum nitens, 560+
TØNSBERG, T., Y. GAUSLAA, R. HAUGEN, H. HOLIEN, & E. TIMDAL. The Threatened Macrolichens of Norway—1995 [review], 352+
Trace metals, 451+
Trachybryum megaptilum, 119, 368+
Transplantation (cyanolichens), 20+
Trebouxia, 394+
Trebouxiophyceae, 394
Trentepohlia, 394+, 398, 606
Tribute (Aaron John Sharp), 481+
Trichodon cylindricus, 119
Tsuga heterophylla forest (bryophyte ecology), 116+
Tsuga heterophylla zone, 366+
Turbellarians, 508+
TWINSPAN, 563+
Tylenchus spp. (nematode), 507+
Tylimanthus indicus, *291*

Tylophorella, 383+

Ulota crispa, 519+; megalospora, 119; obtusiuscula, 119, 368+; phyllantha, 519+
Ultrastructural damage, 361+
Ulvophyceae, 394
UPRETI, DALIP KUMAR. Notes on Saxicolous Species of the Lecanora subfusca Group in India, 256+
Usnea (British Columbia), 36+*m
Usnea (Mexico), 303+
Usnea alata, 327+; alpina, 55; angulata, 58, 303, 312+*m, *320*; articulata, 58; barbata, 55; barbata var. florida, 58; capitata, 58; catenulata, 55; cavernosa, 37+*m, 303, 314+*m; ceratina, 38+*m; 317+*m; chaetophora, 37+m; cornuta s. lat., 37+; cristatula, 318+; dasypoga, 303; diplotypus, 40+m; duriuscula, *323*; esperantiana, 40+m; filipendula s. lat., 40+; filipendula, 319+*m; firma, 319+*m; florida, 58; florida var. pilina, *50*; fragilescens var. mollis, 40+; fulvoreagens, 50+; gonioides, 320+*m; graciosa, 55; hesperina, 39+*m, 321+*m; himantodes, 327+; inflata, *47*; intermedia, 55; kujalae, *50*; lapponica, 39+*; lecanorica, 303; longissima, 327; madeirensis, 39+*m; malmei, 321+*m; merrillii, 58, 322+*m; mexicana, 323+*m; nidulans s. lat., 40+m; occidentalis, 47+; papillata, 324+*m; plicata, 58; prostrata 55; rigida s. lat., 38+*m; rubicunda, 40+m; **sanctaeritae sp. nov.,** 324+*m; scabiosa, 55; scabrata, 37+*; sericea, *327*; serrata, 325+*m; solida, *317*; sorediata, *322*; sp 1, 327+; stuppea, *57*; subfloridana, 40+; subgracilis, *321*; sublaxa, *319*; subscabrosa, 305+*m; substerilis, 38+*; sulcata, *312*; sylvatica, 55; transitoria, 326+*m; trichodea, 40+, 303, 328; variolosa, *51*; **vitrea sp. nov.,** 327+*m; wasmuthii, 58; wirthii, 39+*
Usnic acid (Usnea), 41+, 313
UV-B radiation, 357+

WEI, JIANG-CHUN & BI, WANG-FU. Chemical Revision of Hypogymnia hengduanensis, 556+
WEISBERG, PETER. *See* PETERSON, ERIC B., 112+*m
WETMORE, CLIFFORD M. & EINAR I. KÄRNEFELT. The Lobate and Subfruticose Species of Caloplaca in North and Central America, 230+
WHITTEMORE, ALAN T., RUI-LIANG ZHU, REN-LIANG HU, & JIAN-CHENG ZHAO. A Checklist of the Liverworts of Xinjiang, China, 439+
WINSTANLEY, DAVID. A Botanical Pioneer In South West China: Experiences & Impressions of an Austrian Botanist During the First World War [review], 351
WULFF, KATHARINA. *See* HALONEN, PEKKA, 36+*m
WYATT, ROBERT & IRENEUSZ J. ODRZYKOSKI. On the Origins of the Allopolyploid Moss Plagiomnium cuspidatum, 263+

Xanthophyceae, 394
Xanthoria elegans, 233, 252

YIP, KWOK LEUNG & JERRY A. SNIDER. Pleuridium julaceum is Conspecific with Astomiopsis sinensis, 86+
YIP, KWOK LEUNG. [Review of:] WINSTANLEY, DAVID. A Botanical Pioneer In South West China: Experiences & Impressions of an Austrian Botanist During the First World War, 351

Zeorin (Lecanora), 261